

3. Identify the syntactically correct Turtle serialization.
 - (a) dbr:Karl_Marx dbo:deathDate "1883-01-01"xsd:date.
 - (b) dbr:Karl_Marx foaf:surname Marx@en.
 - (c) dbr:The_Communist_Manifesto dbp:releasedDate "Late February 1844".
 - (d) "dbr:Karl_Marx" foaf:gender "male"@en.

4. Which statement is correct about RDF lists?

- (a) The difference between containers and collection is in the ordering of elements in them.
- (b) In collection list, each item is addressed by one blank node.
- (c) In sequence container, each element is followed by rdf:first.
- (d) The rdf:Bag is used to show the ordered list of resources in the RDF.
- (e) The last element of containers followed by the predicate rdf:nil.

2 Task

Consider the following sentences:

The Dalton Brothers band consists of four persons, Joe, William, Jack, and Averell.
 The uncle of the Dalton Brother is Marcel Dalton, who is a person and he lives in Switzerland.
 Marcel Dalton has bank, thus his job is bank owner.

1. Draw the corresponding RDF graph.
 (you can use blank nodes and one type of containers in your model)

Hint: Draw resources as ellipses or circles and literals with rectangles.

2. Represent this graph in RDF Turtle serialization.

3 Find the errors of the following RDF snippet which is represented in turtle serialization.


```

@prefix rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>.
@prefix ex: <http://example.org#>,
@prefix dbp: <http://dbpedia.org/property/>;
@prefix dbr: <http://dbpedia.org/resource/>
dbr:Christopher_Hitchens dbp:influences dbr:Albert_Camus.
@prefix foaf: <http://xmlns.com/foaf/0.1/>.
"The_stranger" foaf:primaryTopic <http://live.dbpedia.org/resource/The_Stranger_(novel)>,
                           ex:author [ ex:fullname "Albert Camus";
                                         ex:nationality ex:French
                           ];
                           ex:format [a rdf:Alt,
                                      rdf:_1 ex:Book,
                                      rdf:_2 ex:eBook];
                           dbo:genre ex:novel.

```

4 The following text is represented by an RDF graph.

"Lucky Luke is a cowboy person who travels across Wild West. Jolly Jumper and Rantanplan accompany Lucky Luke in his travels. Jolly Jumper is an intelligent white animal. It's a horse. But, Rantanplan is a stupid brown animal. It is a dog."



- Write its corresponding Turtle serialization.
- Create a JSON-LD representation of Turtle serialization.

5 Serializations

```
<?xml version="1.0" encoding="utf-8" ?>
<rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
           xmlns:ex="http://example.org/"
           xmlns:rdfs="http://www.w3.org/2000/01/rdf-schema#">

  <rdf:Description rdf:about="http://example.org/NinjaTurtles">
    <rdf:type rdf:resource="http://example.org/Comic"/>
    <ex:members>
      <rdf:Bag>
        <rdf:li>
          <rdf:Description rdf:about="http://example.org/Leo">
            <rdf:type rdf:resource="http://example.org/NinjaTurtle"/>
            <rdfs:label>Leo</rdfs:label>
            <rdfs:label>Leonardo</rdfs:label>
            <ex:maskColor>blue</ex:maskColor>
            <ex:weapons>Sword</ex:weapons>
            <ex:characteristics>tactics</ex:characteristics>
            <ex:characteristics>leader</ex:characteristics>
          </rdf:Description>
        </rdf:li>
        <rdf:li>
          <rdf:Description rdf:about="http://example.org/Donnie">
            <rdf:type rdf:resource="http://example.org/NinjaTurtle"/>
            <rdfs:label>Donnie</rdfs:label>
            <rdfs:label>Donatello</rdfs:label>
            <ex:maskColor>purple</ex:maskColor>
            <ex:weapons>staff</ex:weapons>
            <ex:characteristics>scientist</ex:characteristics>
            <ex:characteristics>engineer</ex:characteristics>
            <ex:characteristics>technological genius</ex:characteristics>
          </rdf:Description>
        </rdf:li>
        <rdf:li>
          <rdf:Description rdf:about="http://example.org/Raph">
            <rdf:type rdf:resource="http://example.org/NinjaTurtle"/>
            <rdfs:label>Raph</rdfs:label>
            <rdfs:label>Raphael</rdfs:label>
            <ex:maskColor>red</ex:maskColor>
            <ex:weapons>sai</ex:weapons>
            <ex:characteristics>muscle</ex:characteristics>
            <ex:characteristics>short fused</ex:characteristics>
          </rdf:Description>
        </rdf:li>
        <rdf:li>
          <rdf:Description rdf:about="http://example.org/Mikey">
            <rdf:type rdf:resource="http://example.org/NinjaTurtle"/>
            <rdfs:label>Mikey</rdfs:label>
            <rdfs:label>Michelangelo</rdfs:label>
            <ex:maskColor>orange</ex:maskColor>
            <ex:weapons>nunchaks</ex:weapons>
            <ex:characteristics>comedian</ex:characteristics>
            <ex:characteristics>goofy</ex:characteristics>
            <ex:characteristics>eats most of the pizza</ex:characteristics>
          </rdf:Description>
        </rdf:li>
      </rdf:Bag>
    </ex:members>
  </rdf:Description>
</rdf:RDF>
```

Tasks:

- Draw corresponding graph for the data
- Provide turtle (TTL) representation
- Provide RDFa representation for **one** of the ninja turtles.